

GÜNEŞ PANELLİ 4G ÇİFT LENS KAMRA

Image



Product feature

- HD double shot double frame
- Video intelligent linkage account the overall situation and details
- Ultra-low power standby 0.2 seconds quick wake up video capture
- PIR human body sensing +Ai humanoid detection alarm
- High performance ISP+1/2.7" black light image sensor
- Support Two-ways Audio
- Supports cloud storage and local storage.
- The APP supports Android/ Apple IOS
- 6W solar panel can be universal adjustment, integrated/separate installation

Model

EX-US62RB-4G286KM

Resolution

4MP

Pixel

1920*1080P+1920*1080P

Main processor

Ingenic-T40N

General

Image sensor

GC2063

APP operate system

Android, Apple IOS

Compressed format

H. 265

Focal length

Wide Angle lens 2.8mm ball machine lens 6mm

Lens	Angle	Wide Angle lens 110° ball machine lens 48°
Internet connection	4G	TD-LTE, TD-LTE / LTE FDD TD-LTE / LTE-FDD
	4G mode version	China/US/European/Southeast Asia/Japan/Australia (optional)
Alarm mode	Detection mode	PIR Human sensing +AI human detection
	Detection range	0-12M
	Detection angle	110° + 110°
	Alarm mode	Real time mobile phone calling or push message
PTZ	PTZ angle	355 ° Horizontal and 100° vertical
	Rotational speed	Horizontal 55° / s Vertical 40° / s
Night vision mode	night vision	Illuminance is 0.00LUX
	infrared light	Infrared LED distance 30M
	White light	White LED distance 30M
Voice	Built-in speaker	3W
	Built-in microphone	Monitor range 20M
Storage	Video mode	Alarm video/timing video/all-day video
	Cloud storage	Cloud storage (alarm event video)
	Local storage	TF card (Max 128G)
Power	Power supply mode	Solar panel + battery
	Solar battery sheet material	Monocrystalline silicon
	Solar battery power	6W
	Battery	3pcs 21700 battery
	Max working power	4.5W
	Standby power	0.003W
	Working area	Indoor/outdoor

Other	working temperature	-30° ~+60°
	Working humidity	0%~90%RH
Package	Net weight	1.35KG
	Box size	195*190*165mm
	Packing quantity	9PCS
	Gross weight	12.95KG
	Carton size	570*195*495mm