# EXM-215HVS 21.5" LCD MONİTÖR




#### **Product Feature**

- Resolution 1440x900, 4K@30HZ compatible.
- Multi-channel signals input, with stereo speaker.
- ♦ Adopt the newest LCD blue ray technology, 3D digital comb filtering and 3D noise reduction technology.
- Color 16.7M(8-bit), image natural and exquisite.
- 5ms response time, no delaying.
- External power adapter, low consumption, service life above 60,000 hours.
- Adopt adaptive power supply, meet variable countries requirement.
- Use ABS plastic body, desktop base included.


# Specification

	Model	EXM-215HVS
Panel Specification	Panel size	21.5" TFT LCD
	Resolution	1440x900, 4K@30hz compatible
	Aspect ratio	16:10
	Brightness (cd/m²)	260(typ)
	Refresh rate	60Hz
	Contrast ratio	4000:1
	Visual angle	178°/178°
	Response time	5ms
	Color	16.7M(8-bit)
Input Interface	VGA	VGA×1
	HDMI input	HDMI×1
	RCA input	RCA×3
	USB input	USB×1
VESA	Wall mounting hole size	75x75mm
Audio	Audio	Built-in speaker
Operating Environment	Working temperature	0°C∼50°C
	Storage temperature	-20°C~60°C
	Working humidity	5%~90%
Power Consumption	Power supply	AC180V-240V ≤18W
	Standby consumption	≤1W
Package	Dimension(mm)	485(W)x340(H)x105(D); 5PCS/CTN: 550(W)x370(H)x500(D)
	Gross weight(kg)	3.5kg; 18kg
	Accessory include	1*power adapter, 1* HDMI cable, 1*quick guide, 1* desktop bracket
Industry Standards	Quality standard	Passed RoHS   FCC   CE   China 3C   China Energy Saving Patent certificate   Patent Right
	Installation method	Desktop base, wall mount
	Housing material	ABS plastic
	Housing color	Black
OSD	Menu language	Support English, Spanish, Turkish, Russianmore than 20 languages

### Dimension (unit: mm)



### **Button Description**



#### Interface

